



# Stp275 20 wfw Burkina Faso

Wuxi Suntech Power Co., Ltd. Solar Panel Series STP265-275 - 20/Wfw. Detailed profile including pictures, certification details and manufacturer PDF ... STP270-20/ Wfw STP275-20/ Wfw Warranty Product Warranty 12 Years Power Warranty 25 Years of 80.7% Output Power Electrical Data at STC Maximum Power (Pmax) 265 Wp 270 Wp

Painel solar fotovoltaico de 60 células, de excelente qualidade, policristalino, com uma potência de 275 Wp, com 5 busbar, de um dos fabricantes mais reconhecidos mundialmente pela sua qualidade, inovação e fiabilidade. Tolerância positiva. Com estas características, proporciona a melhor relação preço/preformance em instalações de autoconsumo fotovoltaico.

STP275 - 20/Wfw Superpoly. 0 50 100 150 200 250 300 0 2 4 6 8 10 12 0 10 20 30 40 Current (A) Power (W) Voltage(V) NMOT STP285-20/ Wfw STP280-20/ Wfw STP275-20/ Wfw Maximum Power at NMOT (Pmax) 214.4 W 210.3 W 206.4 W Optimum Operating Voltage (Vmp) 39.8 V 39.5 V 39.2 V Optimum Operating Current (Imp) 7.20 A 7.14 A 7.07 A

STP275 - 20/Wfw Strom-Spannungs- & Leistungs- Spannungskennlinie (285) Mechanische Eigenschaften Solarzelle Polykristallines Silizium 6 Zoll Anzahl der Zellen 60 (6 x10) Abmessungen 1.650 x 992 x 35 mm (64,96 x 39,1 x 1,4 Zoll) Gewicht 18,3 kg Frontglas 3,2 mm (0,13 Zoll) gehärtetes Glas

Riesige Auswahl Suntech STP275-20/Wfw275Wp - PV-Module jetzt bei Secondsol bestellen. Registrieren. Anmelden. Benutzername. Passwort. 2-Faktor Anmeldung. Nach der Eingabe Ihres Benutzernamens erhalten Sie einen Code per E-Mail! ... STP275-20/Wfw 5.0 (123 Kundenrezensionen) 82,50 ...

?? 20?? 40?? ?/? 30 ?/? 6 28 ?/? 180 840 ??? ???? (NOCT) 45°C (Pmax)?? -0.41 %/°C (Voc)?? -0.33 %/°C (Isc)?? 0.067 %/°C ??? STC STP275-20/ Wfw STP270-20/ ...

Suntech STP275-20/Wfw = Suntech STP 275-20 / Wfw The solar panels Suntech STP275-20/Wfw are polycrystalline panels with 275Wp. \* New and unused surplus items \* Delivery or collection by the customer possible; Please note! The PV modules are remaining stocks. The sale to entrepreneurs takes place under exclusion of any material defect liability.

Current-Voltage & Power-Voltage Curve (275-20) Excellent performance under weak light conditions: at an irradiation intensity of 200 W/m<sup>2</sup> (AM 1.5, 25 °C), 96.5% or higher of the STC efficiency (1000 W/m<sup>2</sup>) is achieved Dealer information Mechanical Characteristics Solar Cell Polycrystalline silicon 6 inches No. of Cells 60 (6 x15; 10)



# Stp275 20 wfw Burkina Faso

20 A Leistungstoleranz 0/+5 W STC (Standardtestbedingungen): Strahlungsintensität 1,000W/m<sup>2</sup>, Modultemperatur 25 °C, Luftmasse=1,5. Bei Einsatz des führenden AAA-Solarsimulators (IEC60904-9) können Messgenauigkeiten von ± 3 % erreicht werden. NOCT STP275-20/ Wfw STP270-20/ Wfw STP265-20/ Wfw Maximale Leistung unter NOCT (P<sub>m</sub>) 202,6 W ...

NOCT: Irradiance 800 W/m<sup>2</sup>, ambient temperature 20 °C, AM=1.5, wind speed 1 m/s; Best in Class AAA solar simulator (IEC 60904-9) used, power measurement uncertainty is within +/- 3% STP275- 20/Wfw STP270 - 20/Wfw STP265 - 20/Wfw Temperature Characteristics Nominal Operating Cell Temperature (NOCT) 45±2°C Temperature Coefficient of P<sub>max</sub> -0.41 ...

NOCT: Irradiance 800 W/m<sup>2</sup>, ambient temperature 20 °C, AM=1.5, wind speed 1 m/s; Best in Class AAA solar simulator (IEC 60904-9) used, power measurement uncertainty is within +/- 3% AU-STP-Wfj-NO2.01-Rev 2018 Electrical Characteristics STC STP275-20/ Wfj STP270-20/ Wfj STP265-20/ Wfj Maximum Power at STC (P<sub>max</sub>) 275 W 270 W 265 W

Maksymalne zabezpieczenie 20 A Tolerancja mocy 0/+5 W STC: nasłonecznienie 1000W/m<sup>2</sup>, temperatura modulu 25°C AM =1,5; Najlepsze w klasie sprawdzane symulatorem solarnym klasy AAA (IEC 60904-9), dokładność pomiaru od -3/+3% NOCT STP275-20/ Wfw STP270-20/ Wfw STP265-20/ Wfw Maksymalna moc przy NOCT (P<sub>max</sub>) 200.6 W 198 W 194 W

STP280 - 20/Wfw STP275 - 20/Wfw STP270 - 20/Wfw 0/+5W Positive tolerance Positive tolerance of up to 5 W delivers higher output reliability IP68 Rated Junction Box The Suntech IP68 rated junction box ensures an outstanding waterproof level, supports installations in all orientations and

STP 275 - 20 / Wfw Suntech STP 275-20 / Wfw Projektowanie i montaż systemów fotowoltaicznych, dystrybucja komponentów Montaż s.r.o. ... STP275 - 20/Wfw, STP270 - 20/Wfw, STP265 - 20/Wfw. Dane mogą ulec zmianie! Adres siedziby firmy:, U panelarny 10, 772 00 Olomuniec, Republika Czeska

0 5 10 15 20 25 30 35 40 STP275 - 20/Wfm 1000 60(6±15;10) ...

Maximum Series Fuse Rating 20 A Power Tolerance 0/+5 W STC: Irradiance 1000 W/m<sup>2</sup>, module temperature 25 °C, AM=1.5; Best in Class AAA solar simulator (IEC 60904-9) used, power measurement uncertainty is within +/- 3% NOCT STP280-20/ Wfw STP275-20/ Wfw STP270-20/ Wfw Maximum Power at NOCT (P<sub>max</sub>) 206.3 W 200.6 W 198 W

Web: <https://www.mzanipestcontrol.co.za>

